



## PRESSDIN-EXA



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
101M12	M12x1,5	6	5-7	100
101M16	M16x1,5	6	4-11	100
101M20	M20x1,5	6,5	6-12	50
101M25	M25x1,5	7	6-16	50
101M32	M32x1,5	8	9-20	25
101M40	M40x1,5	8	17-28	25
101M50	M50x1,5	9	23-34	10
101M63	M63x1,5	10	35-46	5
10107	Pg. 7	5	5-7	100
10109	Pg. 9	6	4-11	100
10111	Pg. 11	6	6-12	50
10113	Pg. 13,5	6,5	6-13	50
10116	Pg. 16	6,5	6-16	50
10121	Pg. 21	7	9-20	50
10129	Pg. 29	8	17-28	25
10136	Pg. 36	9	23-34	10
10142*	Pg. 42	10	29-40	5
10148	Pg. 48	10	35-46	5

\* Made to Order.

Nickel plated brass cable gland hexagonal pressure screw and body, sealing ring with multiple perforation. 2 galvanized steel washers. IP55 protection.



## PRESSDIN-EXA RL



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
103M12	M12x1,5	15	5-7	100
103M16	M16x1,5	15	4-11	100
103M20	M20x1,5	15	6-12	50
103M25	M25x1,5	15	6-16	50
103M32	M32x1,5	15	9-20	25
103M40	M40x1,5	15	17-28	25
103M50	M50x1,5	15	23-34	10
103M63	M63x1,5	15	35-46	5
10307	Pg. 7	15	5-7	100
10309	Pg. 9	15	4-11	100
10311	Pg. 11	15	6-12	50
10313	Pg. 13,5	15	6-13	50
10316	Pg. 16	15	6-16	50
10321	Pg. 21	15	9-20	50
10329	Pg. 29	15	17-28	25
10336	Pg. 36	15	23-34	10
10342*	Pg. 42	15	29-40	10
10348	Pg. 48	15	35-46	5

\* Made to Order.

Nickel plated brass cable gland hexagonal pressure screw and body, sealing ring with multiple perforation. 2 galvanised steel washers. Long thread of 15 mm. IP55 protection.



## PRESSDIN-EXA ANCHORAGE



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
112M12	M12x1,5	6	4,5-8	100
112M16	M16x1,5	6	6,5-12	50
112M20	M20x1,5	6,5	6,5-12	50
112M25	M25x1,5	7	8-15	50
112M32	M32x1,5	8	17-27	25
112M40	M40x1,5	8	17-28	25
112M50	M50x1,5	9	23-33	10
112M63	M63x1,5	10	38-46	5
11209	Pg. 9	6	6-8,5	100
11211	Pg. 11	6	7-12	50
11213	Pg. 13,5	6,5	8,5-13	50
11216	Pg. 16	6,5	9,5-15	50
11221	Pg. 21	7	12-19	50
11229	Pg. 29	8	16,5-27	25
11236	Pg. 36	9	29-33	10
-	-	-	-	-
11248	Pg. 48	10	39-45	5

Nickel plated brass cable gland, hexagonal pressure screw and body, with strain relief clamp, sealing ring with multiple perforation. 2 galvanised steel washers. IP55 protection.

Cable gland with central anchorage (Ref.119) / Made to order.



CONTIELEC

## PRESSDIN-EXA ANCHORAGE P. F.



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
113M12	M12x1,5	6	5,5-8	100
113M16	M16x1,5	6	6-11,5	50
113M20	M20x1,5	6,5	6-11,5	50
113M25	M25x1,5	7	8,5-15	25
113M32	M32x1,5	8	17-27	10
113M40	M40x1,5	8	17-27	10
-	-	-	-	-
-	-	-	-	-
11309	Pg. 9	6	6-8,5	50
11311	Pg. 11	6	7,5-11,5	50
11313	Pg. 13,5	6,5	8,5-13	50
11316	Pg. 16	6,5	9,5-15	50
11321	Pg. 21	7	12-19	25
11329	Pg. 29	8	16,5-27	10
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Nickel plated brass cable gland, hexagonal pressure screw internally shaped to protect of cable bending and hexagonal body, with strain relief clamp, sealing ring with multiple perforation. 2 galvanised steel washers. IP55 protection.



## PRESSDIN-EXA CP



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.	REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
118M25.1	M25x1,5	7	5,0x15,0	50	11816.1	Pg. 16	6,5	5,0x15,0	50
118M25.2	M25x1,5	7	6,0x18,0	50	11821.1	Pg. 21	7	6,0x18,0	50
118M25.3	M25x1,5	7	7,5x19,0	50	11821.2	Pg. 21	7	7,5x19,0	50
118M25.4	M25x1,5	7	8,5x20,0	50	11821.3	Pg. 21	7	11,0x21,0	50
118M32.1	M32x1,5	8	6,0x24,0	50	11829.1	Pg. 29	8	6,0x24,0	25
118M32.4	M32x1,5	8	8,0x22,0	25	11829.2	Pg. 29	8	6,0x28,0	25
118M32.5	M32x1,5	8	9,0x26,0	25	11829.3	Pg. 29	8	7,0x30,0	25
118M40.1	M40x1,5	8	6,0x24,0	25	11829.4	Pg. 29	8	8,0x22,0	25
118M40.2	M40x1,5	8	6,0x28,0	25	11829.5	Pg. 29	8	9,0x26,0	25
118M40.3	M40x1,5	8	7,0x30,0	25	11829.6	Pg. 29	8	10,5x30,0	25
118M40.4	M40x1,5	8	8,0x22,0	25	11836.1	Pg. 36	9	6,0x32,0	10
118M40.5	M40x1,5	8	9,0x26,0	25	11836.2	Pg. 36	9	6,0x35,0	10
118M40.6	M40x1,5	8	10,5x30,0	25	11836.3	Pg. 36	9	7,0x38,0	10
118M50.1	M50x1,5	9	6,0x32,0	10	11836.4	Pg. 36	9	8,0x34,0	10
118M50.2	M50x1,5	9	6,0x35,0	10	11836.5	Pg. 36	9	10,0x32,0	10
118M50.3	M50x1,5	9	7,0x38,0	10	11836.6	Pg. 36	9	12,5x37,0	10
118M50.4	M50x1,5	9	8,0x34,0	10	11836.7	Pg. 36	9	13,0x34,0	10
118M50.5	M50x1,5	9	10,0x32,0	10	11842.1*	Pg. 42	10	6,0x40,0	5
118M50.6	M50x1,5	9	12,5x37,0	10	11842.2*	Pg. 42	10	7,5x40,0	5
118M50.7	M50x1,5	9	13,0x34,0	10	11842.3*	Pg. 42	10	11,5x39,0	5
118M50.8	M50x1,5	9	6,0x40,0	5	11842.4*	Pg. 42	10	13,5x41,0	5
118M50.9	M50x1,5	9	7,5x40,0	5	11848.1	Pg. 48	10	7,0x49,0	5
118M50.10	M50x1,5	9	11,5x39,0	5	11848.2	Pg. 48	10	10,0x44,0	5
118M50.11	M50x1,5	9	13,5x41,0	5	11848.3	Pg. 48	10	14,0x44,0	5
118M63.1	M63x1,5	10	7,0x49,0	5	11848.4	Pg. 48	10	16,0x45,0	5
118M63.2	M63x1,5	10	10,0x44,0	5					
118M63.3	M63x1,5	10	14,0x44,0	5					
118M63.4	M63x1,5	10	16,0x45,0	5					

\* Made to Order.

Nickel plated brass cable gland hexagonal pressure screw and body, sealing ring, 2 galvanised steel washers. IP55 protection.



CONTIELEC

## PRESSDIN-DIA NIQ



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
110M12	M12x1,5	5	3-6	100
110M16	M16x1,5	5	5-9	100
110M20	M20x1,5	6	9-13	100
110M25	M25x1,5	7	11-16	50
110M32	M32x1,5	8	14-21	25
110M40	M40x1,5	8	19-27	10
110M50	M50x1,5	9	24-35	5
110M63	M63x1,5	10	32-42	5
11007	Pg. 7	5	3-6,5	100
11009	Pg. 9	6	4-8	100
11011	Pg. 11	6	5-10	50
11013	Pg. 13,5	6,5	6-12	50
11016	Pg. 16	6,5	10-14	50
11021	Pg. 21	7	13-18	50
11029	Pg. 29	8	18-25	25
11036	Pg. 36	9	24-32	10
11042*	Pg. 42	10	30-38	5
11048	Pg. 48	10	34-44	5

\* Made to Order.

Nickel plated brass cable gland, watertight dome nut and internally diaphragm shaped, hexagonal body, sealing ring and o-ring on external thread. IP68-5 bar.

Cable gland with long thread and cable gland with reducing sealing / Made to order.



CONTIELEC

## PRESSDIN-DIA NIQ B



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
110M12B	M12x1,5	5	3-6	100
110M16B	M16x1,5	5	5-9	100
110M20B	M20x1,5	6	9-13	100
110M25B	M25x1,5	7	11-16	50
110M32B	M32x1,5	8	14-21	25
110M40B	M40x1,5	8	19-27	10
110M50B	M50x1,5	9	24-35	5
110M63B	M63x1,5	10	32-42	5
11007B	Pg. 7	5	3-6,5	100
11009B	Pg. 9	6	4-8	100
11011B	Pg. 11	6	5-10	50
11013B	Pg. 13,5	6,5	6-12	50
11016B	Pg. 16	6,5	10-14	50
11021B	Pg. 21	7	13-18	50
11029B	Pg. 29	8	18-25	25
11036B	Pg. 36	9	24-32	10
-	-	-	-	-
11048B	Pg. 48	10	34-44	5

Nickel plated brass cable gland, watertight dome nut and internally diaphragm shaped, hexagonal body, sealing ring and o-ring on external thread. IP68-5 bar.



CONTIELEC

## PRESSDIN-DIA NIQ MULTIPLE



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
132M12...	M12x1,5	5	4x2	100
132M16...	M16x1,5	5	2x4/2x4,5/4x3,5	100
132M20...	M20x1,5	6	2x6/4x5	100
132M25...	M25x1,5	7	2x6/2x8/3x4/3x6/3x7/4x5/4x6/4x6,5/5x4/6x4	50
132M32...	M32x1,5	8	2x8/3x8/4x7/4x8/4x8,5/6x4/6x6	25
132M40...	M40x1,5	8	4x10/5x8,5/8x6,5	10
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
13209...	Pg. 9	6	2x3/2x3,5/3x2/3x3,5/4x2/4x3	100
13211...	Pg. 11	6	2x3/2x4/2x4,5/2x5/3x3/3x4/3x5/4x3/7x2,7	50
13213...	Pg. 13,5	6,5	2x4,5/2x5/2x6/3x4/3x5	50
13216...	Pg. 16	6,5	2x4/2x6/3x4/3x4,5/3x5/3x6/3x6,5/3x7/4x4/4x5/4x6/5x4	50
13221...	Pg. 21	7	2x7/2x8/2x9/3x7/3x8/4x5/4x6,5/4x7/4x7,5/5x5	50
13229...	Pg. 29	8	5x8,5/6x5/6x7,5/8x5	25
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Nickel plated brass cable gland, watertight dome nut and internally diaphragm shaped, hexagonal body, sealing insert for installation of several single cables and o-ring on external thread. IP68-5 bar.

Cable gland for flat cable, Cable gland for cable bending / Made to order.





## PRESSDIN-DIA NIQ EMC\*



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
130M12	M12x1,5	5	3-6	100
130M16	M16x1,5	5	5-9	100
130M20	M20x1,5	6	9-13	100
130M25	M25x1,5	7	11-16	50
130M32	M32x1,5	8	14-21	25
130M40	M40x1,5	8	19-27	10
130M50	M50x1,5	9	24-35	5
130M63	M63x1,5	10	32-42	5
13007	Pg. 7	5	3-6,5	100
13009	Pg. 9	6	4-8	100
13011	Pg. 11	6	5-10	50
13013	Pg. 13,5	6,5	6-12	50
13016	Pg. 16	6,5	10-14	50
13021	Pg. 21	7	13-18	25
13029	Pg. 29	8	18-25	25
13036	Pg. 36	9	24-32	10
13042	Pg. 42	10	30-38	5
13048	Pg. 48	10	34-44	5

\*Made to order.

Nickel plated brass cable gland EMC for cables with shielding. Watertight dome nut and internally diaphragm shaped, hexagonal body, sealing ring and o-ring on external thread. IP68-5 bar.

Cable gland with long thread / Made to order.



CONTIELEC

## PRESSDIN-PLAS PA



GREY REF.	BLACK REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
107M12	107M12N	M12x1,5	7	6-8	50
107M16	107M16N	M16x1,5	8	8-10	50
107M20	107M20N	M20x1,5	9	10-12	50
107M25	107M25N	M25x1,5	10	12-14	50
107M32	107M32N	M32x1,5	10	15-17	10
107M40	107M40N	M40x1,5	13	24-26	10
107M50	107M50N	M50x1,5	11	31-33	5
107M63	107M63N	M63x1,5	12	43-44	5
10707	10707N	Pg. 7	8	3,5-6	50
10709	10709N	Pg. 9	8	4,5-7	50
10711	10711N	Pg. 11	8	6-9	50
10713	10713N	Pg. 13,5	9	9-12	50
10716	10716N	Pg. 16	10	11-14	50
10721	10721N	Pg. 21	11	14-18	50
10729	10729N	Pg. 29	11	18-25	25
10736	10736N	Pg. 36	13	25-32	10
10742*	10742N*	Pg. 42	13	39-41	10
10748	10748N	Pg. 48	14	43-44	10

\*Made to Order.

Polyamide cable gland, hexagonal pressure screw and body, sealing ring, grey & black colour. IP55 protection.

Cable gland with long thread / made to order.



## PRESSDIN-PLAS AC



GREY REF.	BLACK REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
11607SB	11607SBN	Pg. 7	8	3,5-6,5	50
11609SB	11609SBN	Pg. 9	9	4,5-7	50
11611SB	11611SBN	Pg. 11	9	6-9	50
11613SB	11613SBN	Pg. 13,5	9	9-12	50
11616SB	11616SBN	Pg. 16	11	11-14	50
11621SB	11621SBN	Pg. 21	11	14-18	50
11629SB	11629SBN	Pg. 29	12	18-25	10
11636SB	11636SBN	Pg. 36	12	25-32	10
-	-	-	-	-	-
11648SB	11648SBN	Pg. 48	14	38-44	5

Polystyrene cable gland, hexagonal pressure screw and body, sealing ring, grey colour. IP55 protection.

Black colour / made to order.



## PRESSDIN-PLAS CP



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.	REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
117M25.1	M25x1,5	11	5,0x15,0	50	11716.1	Pg. 16	10	5,0x15,0	50
117M25.2	M25x1,5	11	6,0x18,0	50	11721.1	Pg. 21	11	6,0x18,0	50
117M25.3	M25x1,5	11	7,5x19,0	50	11721.2	Pg. 21	11	7,5x19,0	50
117M25.4	M25x1,5	11	8,5x20	50	11721.3	Pg. 21	11	11,0x21,0	50
117M32.1	M32x1,5	11	6,0x24,0	25	11729.1	Pg. 29	11	6,0x24,0	25
117M32.4	M32x1,5	11	8,0x22,0	25	11729.2	Pg. 29	11	6,0x28,0	25
117M32.5	M32x1,5	11	9,0x26,0	25	11729.3	Pg. 29	11	7,0x30,0	25
117M40.1	M40x1,5	11	6,0x24,0	25	11729.4	Pg. 29	11	8,0x22,0	25
117M40.2	M40x1,5	11	6,0x28,0	25	11729.5	Pg. 29	11	9,0x26,0	25
117M40.3	M40x1,5	11	7,0x30,0	25	11729.6	Pg. 29	11	10,5x30,0	25
117M40.4	M40x1,5	11	8,0x22,0	25	11736.1	Pg. 36	13	6,0x32,0	10
117M40.5	M40x1,5	11	9,0x26,0	25	11736.2	Pg. 36	13	6,0x35,0	10
117M40.6	M40x1,5	11	10,5x30,0	25	11736.3	Pg. 36	13	7,0x38,0	10
117M50.1	M50x1,5	11	6,0x32,0	10	11736.4	Pg. 36	13	8,0x34,0	10
117M50.2	M50x1,5	11	6,0x35,0	10	11736.5	Pg. 36	13	10,0x32,0	10
117M50.3	M50x1,5	11	7,0x38,0	10	11736.6	Pg. 36	13	12,5x37,0	10
117M50.4	M50x1,5	11	8,0x34,0	10	11736.7	Pg. 36	13	13,0x34,0	10
117M50.5	M50x1,5	11	10,0x32,0	10	11742.1*	Pg. 42	13	6,0x40,0	5
117M50.6	M50x1,5	11	12,5x37,0	10	11742.2*	Pg. 42	13	7,5x40,0	5
117M50.7	M50x1,5	11	13,0x34,0	10	11742.3*	Pg. 42	13	11,5x39,0	5
117M50.8	M50x1,5	11	6,0x40,0	5	11742.4*	Pg. 42	13	13,5x41,0	5
117M50.9	M50x1,5	11	7,5x40,0	5	11748.1	Pg. 48	14	7,0x49,0	5
117M50.10	M50x1,5	11	11,5x39,0	5	11748.2	Pg. 48	14	10,0x44,0	5
117M50.11	M50x1,5	11	13,5x41,0	5	11748.3	Pg. 48	14	14,0x44,0	5
117M63.1	M63x1,5	11	7,0x49,0	5	11748.4	Pg. 48	14	16,0x45,0	5
117M63.2	M63x1,5	11	10,0x44,0	5					
117M63.3	M63x1,5	11	14,0x44,0	5					
117M63.4	M63x1,5	11	16,0x45,0	5					

\*Made to Order.

Polyamide cable gland, hexagonal pressure screw and body, sealing ring, galvanised steel washer. IP55 protection



CONTIELEC

## PRESSDIN-DIA PA



GREY REF.	BLACK REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
111M12	111M12N	M12x1,5	8	3-6	100
111M16	111M16N	M16x1,5	8	5-10	100
111M20	111M20N	M20x1,5	8	8-13	100
111M25	111M25N	M25x1,5	8	11-17	50
111M32	111M32N	M32x1,5	10	15-21	25
111M40	111M40N	M40x1,5	10	19-28	10
111M50	111M50N	M50x1,5	11	27-35	5
111M63	111M63N	M63x1,5	12	32-42	5
11107	11107N	Pg. 7	8	3-6,5	100
11109	11109N	Pg. 9	8	4-8	100
11111	11111N	Pg. 11	8	5-10	100
11113	11113N	Pg. 13,5	9	6-12	100
11116	11116N	Pg. 16	10	10-14	50
11121	11121N	Pg. 21	11	13-18	50
11129	11129N	Pg. 29	11	18-25	25
11136	11136N	Pg. 36	13	22-32	10
11142(	11142N(	Pg. 42	13	30-38	5
11148	11148N	Pg. 48	14	34-44	5

\*Made to Order.

Polyamide cable gland, watertight dome nut, internal closing diaphragm shaped and sealing ring, hexagonal body, grey colour RAL 7001 and black colour. IP68 protection – 5 bar.

Cable gland with long thread, cable gland with reducing sealing / made to order.



CONTIELEC

## PRESSDIN-DIA PA B



GREY REF.	BLACK REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
133M12	133M12N	M12x1,5	8	3-6,5	100
133M16	133M16N	M16x1,5	8	4-8	100
133M20	133M20N	M20x1,5	8	6-12	100
133M25	133M25N	M25x1,5	8	13-18	50
133M32	133M32N	M32x1,5	10	18-25	25
133M40	133M40N	M40x1,5	10	22-32	10
133M50	133M50N	M50x1,5	11	30-38	5
133M63	133M63N	M63x1,5	12	34-44	5
13307	13307N	Pg. 7	8	3-6,5	100
13309	13309N	Pg. 9	8	4-8	100
13311	13311N	Pg. 11	8	5-10	100
13313	13313N	Pg. 13,5	9	6-12	100
13316	13316N	Pg. 16	10	10-14	50
13321	13321N	Pg. 21	11	13-18	50
13329	13329N	Pg. 29	11	18-25	25
13336	13336N	Pg. 36	13	22-32	10
-	-	-	-	-	-
13348	13348N	Pg. 48	14	34-44	5

Polyamide cable gland, watertight dome nut, internal closing diaphragm shaped and sealing ring, hexagonal body, grey colour RAL 7001 and black colour. IP68 protection – 5 bar.



## PRESSDIN-DIA PA MULTIPLE



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
128M12..	M12x1,5	8	4x2	100
128M16...	M16x1,5	8	2x4/2x4,5/4x3,5	100
128M20...	M20x1,5	8	2x6/4x5	100
128M25..	M25x1,5	8	2x6/2x8/3x4/3x6/3x7/4x5/4x6/4x6,5/5x4/6x4/	50
128M32...	M32x1,5	10	2x8/3x8/4x7/4x8/4x8,5/6x4/6x6	25
128M40...	M40x1,5	10	4x10/5x8,5/8x6,5	10

12809...	Pg. 9	8	2x3/2x3,5/3x2/3x3,5/4x2/4x3	100
12811...	Pg. 11	8	2x3/2x4/2x4,5/2x5/3x3/3x4/3x5/4x3/7x2,7	100
12813...	Pg. 13,5	9	2x4,5/2x5/2x6/3x4/3x5	100
12816...	Pg. 16	10	2x4/2x6/3x4/3x4,5/3x5/3x6/3x6,5/3x7/4x4/4x5/4x6/5x4	50
12821...	Pg. 21	11	2x7/2x8/2x9/3x7/3x8/4x5/4x6,5/4x7/4x7,5/5x5	50
12829...	Pg. 29	11	5x8,5/6x5/6x7,5/8x5	25

Polyamide cable gland, watertight dome nut, internal closing diaphragm shaped, hexagonal body, sealing insert for installation of several single cables, and o-ring in external thread. IP68 protection – 5 bar.

Cable gland for flat cable / made to order



CONTIELEC

## PRESSDIN-DIA PA SP



GREY REF.	BLACK REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
127M12	127M12N	M12x1,5	8	3-6,5	100
127M16	127M16N	M16x1,5	15	5-10	100
127M2013	127M2013N	M20x1,5	15	6-12	100
127M2016	127M2016N	M20x1,5	15	10-14	50
127M25	127M25N	M25x1,5	15	13-18	50

12707	12707N	Pg. 7	8	3-6,5	100
12709	12709N	Pg. 9	8	4-8	100
12711	12711N	Pg. 11	8	5-10	100
12713	12713N	Pg. 13,5	9	6-12	50
12716	12716N	Pg. 16	10	10-14	25
12721	12721N	Pg. 21	11	13-18	25

Polyamide cable gland, spiral top for cable bending, internal closing diaphragm shaped and sealing ring, hexagonal body, grey colour RAL 7001 and black colour. IP68 protection – 5 bar.





CONTIELEC

## PRESSDIN-DIA\* NIQ EX



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
110M12EX/6	M12x1,5	5	3-6	100
110M12EX/65	M12x1,5	5	3-6,5	100
110M16EX	M16x1,5	5	5-9	100
110M20EX/12	M20x1,5	6	6-12	100
110M20EX/13	M20x1,5	6	9-13	100
110M25EX	M25x1,5	7	11-16	50
110M32EX	M32x1,5	8	14-21	25
110M40EX	M40x1,5	8	19-27	10
110M50EX	M50x1,5	9	24-35	5
110M63EX/42	M63x1,5	10	32-42	5
110M63EX/48	M63x1,5	10	38-48	5

\*Made to order.

Nickel plated brass (CuZn39Pb3) cable gland, insert made of PA6 V2, sealing ring CR/NBR, o-ring NBR, metric thread as per EN60423. Long thread\*. Properties: Group II. Type 2G & 2D/1,2,21,22. EEx-e protection, increased security. -20°bc +80°bc. IP68-5bar. According to EN50014/EN50019. EC certificate DMT99 ATEX E016.



CONTIELEC

## PRESSDIN-DIA\* NIQ EMC EX



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
130M12EX/6	M12x1,5	5	3-6	100
130M12EX/65	M12x1,5	5	3-6,5	100
130M16EX	M16x1,5	5	5-9	100
130M20EX/12	M20x1,5	6	6-12	100
130M20EX/13	M20x1,5	6	9-13	100
130M25EX	M25x1,5	7	11-16	50
130M32EX	M32x1,5	8	14-21	25
130M40EX	M40x1,5	8	19-27	10
130M50EX	M50x1,5	9	24-35	5
130M63EX/42	M63x1,5	10	32-42	5
130M63EX/48	M63x1,5	10	38-48	5

\*Made to order.

Nickel plated brass (CuZn39Pb3) cable gland **EMC for cables with shielding**, insert made of PA6 V2, sealing ring CR/NBR, o-ring NBR, metric thread as per EN60423. Long thread\*.

Properties: Group II. Type 2G & 2D/1,2,21,22. EEx-e protection, increased security. -20°bc +80°bc. IP68-5bar. According to EN50014/EN50019. EC certificate DMT99 ATEX E016.

Other types of cable gland and accessories / please contact us.



## PRESSDIN-DIA PA EXSA\*



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
111M12NEX	M12x1,5	8	4-7	100
111M16NEX	M16x1,5	8	5,5-10	100
111M20NEX	M20x1,5	8	5,5-13	100
111M25NEX	M25x1,5	8	8-17	50
111M32NEX	M32x1,5	10	12-21	25
111M40NEX	M40x1,5	10	17-28	10
111M50NEX	M50x1,5	12	22-35	5
111M63NEX	M63x1,5	12	27-48	5

\*Made to order.

Polyamide PA6 cable gland, CR/NBR insert, PE-LD dome nut, metric thread as per EN60423. Black colour. Long thread\*.  
 Properties: Group II. Type 2G /1,2 (M12 & M16) ,2G & 2D/ 1,2,21,22 (from M20 to M63). EEx-e protection, increased security. -30°bc +70°bc. IP66. According to EN50014/EN50019/EN50020. Certificate PTB 99 ATEX 3101 X(M12 &.M16) PTB 99 ATEX 3128 X (from M20 to M63).



## PRESSDIN-DIA PA EXSI\*



REF.	THREAD	mm l.	CABLE Ø mm.	PACK QTY.
111M12AZEX	M12x1,5	8	4-7	100
111M16AZEX	M16x1,5	8	5,5-10	100
111M20AZEX	M20x1,5	8	5,5-13	100
111M25AZEX	M25x1,5	8	8-17	50
111M32AZEX	M32x1,5	10	12-21	25
111M40AZEX	M40x1,5	10	17-28	10
111M50AZEX	M50x1,5	12	22-35	5
111M63AZEX	M63x1,5	12	27-48	5

\*Made to order.

Polyamide PA6 cable gland, CR/NBR insert, PE-LD dome nut, metric thread as per EN60423. Blue colour. Long thread\*.

Properties: Group II. Type 2G /1,2 (M12 & M16) ,2G & 2D/ 1,2,21,22 (from M20 to M63). EEx-e protection, increased security. -30°bc +70°bc. IP66. According to EN50014/EN50019/EN50020. Certificate PTB 99 ATEX 3101 X(M12 &.M16) PTB 99 ATEX 3128 X (from M20 to M63).

Other types of cable gland and accessories EX / please contact us.