



FINTER



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	Lenght Threadmm.	PACK QTY.
201M12	7	M12x1,5	12,5	5	50
201M16	9	M16x1,5	15,3	5	50
201M20-11	11	M20x1,5	18,7	6	50
201M20	13	M20x1,5	20,5	6	50
201M25	16	M25x1,5	22,6	7	50
201M32	21	M32x1,5	28,4	8	20
201M40	29	M40x1,5	37,1	8	20
201M50	36	M50x1,5	47,1	9	15
201M63	48	M63x1,5	60,1	14	5
20107	7	Pg. 7	12,5	6	50
20109	9	Pg. 9	15,3	6	50
20111	11	Pg. 11	18,7	6.5	50
20113	13	Pg. 13,5	20,5	6.5	50
20116	16	Pg. 16	22,6	6.35	50
20121	21	Pg. 21	28,4	8	50
20129	29	Pg. 29	37,1	9.5	20
20136	36	Pg. 36	47,1	10	15
20148	48	Pg. 48	60,1	15	5

Fitting with perfect adaptation to metallic and PVC flexible conduits. Hexagonal body and pressure screw, nickel plated with plastic insert, grey colour RAL 7001. IP54.

Long threath: Made to order.

Conduit: CONTIPLAS - CONTIMET - CONTIDES.



CONTIELEC

FINTER-H



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	Lenght threads mm.	PACK QTY.
-	-	-	-	-	-
209M16	9	M16x1,5	15,3	15	50
-	-	-	-	-	-
209M20	13	M20x1,5	20,5	15	50
209M25	16	M25x1,5	22,6	15	50
209M32	21	M32x1,5	28,4	15	20
209M40	29	M40x1,5	37,1	15	20
209M50	36	M50x1,5	47,1	15	15
209M63	48	M63x1,5	60,1	15	5

Fitting with perfect adaptation to metallic and PVC flexible conduits. Hexagonal body and pressure screw, nickel plated with plastic insert, grey colour RAL 7001. **Female thread.** IP54.

Conduit: CONTIPLAS - CONTIMET - CONTIDES.



FINTERMAS



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	Length threadmm.	PACK QTY.
214M12	7	M12x1,5	12,5	5	50
214M16	9	M16x1,5	15,3	5	50
-	-	-	-	-	-
214M20	13	M20x1,5	20,5	6	50
214M25	16	M25x1,5	22,6	7	50
214M32	21	M32x1,5	28,4	8	20
214M40	29	M40x1,5	37,1	8	20
214M50	36	M50x1,5	47,1	9	15
214M63	48	M63x1,5	60,1	14	5

Fitting with perfect adaptation to metallic flexible conduits. Hexagonal body and pressure screw, nickel plated with metallic insert to allow **electrical continuity**. High performances. IP 54.

Long thread: Made to order.

Conduit: CONTIMET - CONTIDES.



FINTERMAS-H



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	Lenght thread mm.	PACK QTY.
-	-	-	-	-	-
215M16	9	M16x1,5	15,3	15	50
-	-	-	-	-	-
215M20	13	M20x1,5	20,5	15	50
215M25	16	M25x1,5	22,6	15	50
215M32	21	M32x1,5	28,4	15	20
215M40	29	M40x1,5	37,1	15	20
215M50	36	M50x1,5	47,1	15	15
215M63	48	M63x1,5	60,1	15	5

Fitting with perfect adaptation to metallic flexible conduits. Hexagonal body and pressure screw, nickel plated with metallic insert to allow electrical continuity. High performances. **Female thread.** IP 54.

Conduit: CONTIMET - CONTIDES.



FINTERTUB-A



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	PACK QTY.
-	-	-	-	-
220M16	M16	M16x1,5	16	10
220M20	M20	M20x1,5	20	10
220M25	M25	M25x1,5	25	10
220M32	M32	M32x1,5	32	5
220M40	M40	M40x1,5	40	5
220M50	M50	M50x1,5	50	5
220M63	M63	M63x1,5	63	1

Nickel plated brass fitting, allows a quick and perfect insertion into rigid metallic conduits. IP67 protection. Easy assembly.

Fintertub A sleeve available

Conduit: METALLIC RIGID



CONTIELEC

SP-IP54*



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	PACK QTY.
SP10M12A	10	M12x1,5	10	10
SP12M16A	12	M16x1,5	14	10
SP16M16A	16	M16x1,5	17	10
-	-	-	-	-
SP20M20A	20	M20x1,5	21,5	10
SP25M25A	25	M25x1,5	26	10
SP32M32A	32	M32x1,5	34	10
SP40M40A	40	M40x1,5	44,5	10
SP50M50A	50	M50x1,5	55,0	10
SP63M63A	63	M63x1,5	64,5	2
SP75M75A	75	M75x1,5	79	2

*Made to order.

Nickel plated brass fitting.
European Standards and dimensions. IP54.

Conduit: SP
Please contact us for other accessories.



S-IP40*



REF.	CONDUIT	THREAD	ext. Ø CONDUIT	PACK QTY.
S10M12A	10	M12x1,5	9	10
S12M16A	12	M16x1,5	13	10
S16M16A	16	M16x1,5	16	10
-	-	-	-	-
S20M20A	20	M20x1,5	20,5	10
S25M25A	25	M25x1,5	21,4	10
S32M32A	32	M32x1,5	32	10
S40M40A	40	M40x1,5	42,5	10
S50M50A	50	M50x1,5	53	10
S63M63A	63	M63x1,5	62,5	2
S75M75A	75	M75x1,5	77	2

*Made to order.

Nickel plated brass fitting.
 European Standards and dimensions. IP40.
 Stainless steel fittings (please contact us).

Conduit: S.
 Please contact us for other accessories



FINTERPLAS



GREY REF.	BLACK REF.	CONDUIT	THREAD	ext. Ø CONDUIT	PACK QTY.
203M12	203M12N	7	M12x1,5	12,5	50
203M16	203M16N	9	M16x1,5	15	50
203M20-11	203M20-11N	11	M20x1,5	19	50
203M20	203M20N	13	M20x1,5	21	50
203M25	203M25N	16	M25x1,5	22,3	50
203M32	203M32N	21	M32x1,5	29	50
203M40	203M40N	29	M40x1,5	37,3	25
203M50	203M50N	36	M50x1,5	47,7	10
203M63	203M63N	48	M63x1,5	61	8
20307	20307N	7	Pg. 7	12,5	50
20309	20309N	9	Pg. 9	15	50
20311	20311N	11	Pg. 11	19	50
20313	20313N	13	Pg. 13,5	21	50
20316	20316N	16	Pg. 16	22,3	50
20321	20321N	21	Pg. 21	29	50
20329	20329N	29	Pg. 29	37,3	50
20336	20336N	36	Pg. 36	47,7	10
20348	20348N	48	Pg. 48	61	8

Polyamide fitting, grey RAL 7001 and black, internally threaded to be assembled with spiralled flexible conduit

Conduit: CONTIPLAS.



FINTERPLAS-M*



GREY REF.	BLACK REF.	CONDUIT	ext. Ø CONDUIT	PACK QTY.
-	-	-	-	-
21311	21311N	11	19	50
21313	21313N	13	21	50
21316	21316N	16	22,3	50
21321	21321N	21	29	50
21329	21329N	29	37,3	50
21336	21336N	36	47,7	10
21348	21348N	48	61	8

Polyamide sleeve, grey and black, internally threaded to be assembled with spiralled flexible conduit.

* Made to Order.

Conduit: CONTIPLAS



FINTERTUB-P



GREY REF.	BLACK REF.	THREAD	ext. Ø CONDUIT	PACK QTY.
-	-	-	-	-
216M16	216M16N	M16x1,5	16	250
216M20	216M20N	M20x1,5	20	200
216M25	216M25N	M25x1,5	25	100
216M32	216M32N	M32x1,5	32	50
216M40	216M40N	M40x1,5	40	30
216M50	216M50N	M50x1,5	50	15
216M63	216M63N	M63x1,5	63	15



PA fitting, allows a quick assembly with rigid and smooth plastic conduits. Grey and black colour.

Conduit: PVC RIGID